



CERTIFICATO DI ACCREDITAMENTO

Accreditation Certificate

ACCREDITAMENTO N.
ACCREDITATION N.

0986L REV. 07

EMESSO DA
ISSUED BY

DIPARTIMENTO LABORATORI DI PROVA

SI DICHIARA CHE
WE DECLARE THAT

Emilab Srl con socio unico

Sede/Headquarters:

Via F.lli Solari 5/A - 33020 Amaro UD

È CONFORME AI REQUISITI
DELLA NORMA

UNI CEI EN ISO/IEC 17025:2018

MEETS THE REQUIREMENTS
OF THE STANDARD

ISO/IEC 17025:2017

QUALE

Laboratorio di Prova

AS

Testing Laboratory

Data di 1^a emissione

1st issue date

14-10-2009

Data di revisione

Review date

13-09-2021

Data di scadenza

Expiring date

10-10-2025

L'accreditamento attesta la competenza tecnica, l'imparzialità e il costante e coerente funzionamento del Laboratorio relativamente al campo di accreditamento riportato nell'Elenco Prove allegato al presente certificato di accreditamento.

Il presente certificato non è da ritenersi valido se non accompagnato dagli Elenchi Prove, che possono variare nel tempo e può essere sospeso o revocato o ridotto in qualsiasi momento nel caso di inadempienza accertata da parte di ACCREDIA.

La validità dell'accreditamento può essere verificata sul sito web (www.accredia.it) o richiesta al Dipartimento di competenza.

I requisiti di sistema della ISO/IEC 17025 sono scritti in un linguaggio attinente alle attività di laboratorio e sono generalmente in accordo con i principi della norma ISO 9001 (si veda comunicato congiunto ISO-ILAC-IAF dell'Aprile 2017).

The accreditation attests competence, impartiality and consistent operation in performing laboratory activities, limited to the scope detailed in the attached Enclosure.

The present certificate is valid only if associated to the annexed Lists and can be suspended, withdrawn or reduced at any time in the event of non fulfilment as ascertained by ACCREDIA.

Confirmation of the validity of accreditation can be verified on the website (www.accredia.it) or by contacting the relevant Department.

The management system requirements in ISO/IEC 17025 are written in language relevant to laboratories operations and generally operate in accordance with the principles of ISO 9001 (refer joint ISO-ILAC-IAF Communiqué dated April 2017).

Il QRcode consente di accedere direttamente al sito www.accredia.it per verificare la validità del certificato di accreditamento rilasciato al CAB.

La data di revisione riportata sul certificato corrisponde alla data di aggiornamento / di delibera del pertinente Comitato Settoriale di Accreditamento. L'atto di delibera, firmato dal Presidente di ACCREDIA, è scaricabile dal sito www.accredia.it, sezione 'Documenti'

The QRcode links directly to the website www.accredia.it to check the validity of the accreditation certificate issued to the CAB.

The revision date shown on the certificate refers to the update / resolution date of the Sector Accreditation Committee. The Resolution, signed by the President of ACCREDIA, can be downloaded from the website www.accredia.it, 'Documents' section.

ACCREDIA è l'Ente Unico nazionale di accreditamento designato dal governo italiano, in applicazione del Regolamento Europeo 765/2008.

ACCREDIA is the sole national Accreditation Body, appointed by the Italian government in compliance with the application of REGULATION (EC) No 765/2008.



CERTIFICATO DI ACCREDITAMENTO

Accreditation Certificate

ACCREDITAMENTO N.
ACCREDITATION N.

0986L REV. 07

EMESSO DA
ISSUED BY

DIPARTIMENTO LABORATORI DI PROVA

Emilab Srl con socio unico

Sedi operative/Branch Offices:

- Sede A: Via F.lli Solari 5/A - 33020 Amaro UD
- Sede B: Via Jacopo Linussio 1 - 33020 Amaro UD

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 1 di 12 |

ELENCO PROVE ACCREDITATE - CON CAMPO FISSO IN CATEGORIA: 0

Apparecchi Elettromedicali / Medical equipment

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Parte 1: Prescrizioni generali relative alla sicurezza fondamentale e alle prestazioni essenziali / Part 1: General requirements for basic safety and essential performance (Rigidità dielettrica; Precondizionamento all'umidità) (Single-phase devices up to 240V, other devices up to 415V. Dielectric strength up to 6kV AC, 4kV DC. Insulation resistance up to 2GOhm) | EN 60601-1: 2006-10, EN 60601-1/EC: 2010, EN 60601-1/A1: 2013, EN 60601-1/A12: 2014, EN 60601-1/EC:2014 | | |

Audio/video, information and communication technology equipment

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Part 1: Safety requirements with exclusion of: 5.4.1.10.2: Vicat test; 8.5.5 High pressure lamps; 10 Radiation; Annex C: UV radiation; Annex D: Test generators: circuit 1 and 3; Annex G.15.2.3 Tubing and fitting compatibility test; Annex G.16 IC including capacitor discharge function (ICX); Annex G: tests according to the specific standards indicated in the standard; Annex R: Limited short-circuit test; Annex S.3: Flammability tests for the bottom of a fire enclosure; Annex U: Mechanical strength of CRTs and protection against the effects of implosion; Annex Y Construction requirements for outdoor enclosures | EN IEC 62368-1:2020-03;, EN IEC 62368-1/A11:2020-03, EN 62368-1:2014, EN 62368-1/AC:2015, EN 62368-1/AC:2017, EN 62368-1/A11:2017 | | |

Elettrodomestici, gli utensili elettrici e gli apparecchi simili Household appliances, electric tools and similar apparatus

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Part 1: Generic standard (7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18 (Requirements and tests are specified in part 2 when necessary) - Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire.) (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-1:2012-01, EN 60335-1/A13:2017, EN 60335-1/A11:2014, EN 60335-1/EC:2014, EN 60335-1/A14:2019; EN 60335-1/A2:2019; EN 60335-1/A1:2019 | | |

Household and similar electrical appliances - battery chargers

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-29:2004-09, EN 60335-2-29/A2:2010-02, EN 60335-2-29/A11:2018-10 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 2 di 12 |

Household and similar electrical appliances - commercial dispensing appliances and vending machines

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-75:2004-08, EN 60335-2-75/A1:2005-02, EN 60335-2-75/A11:2006-08, EN 60335-2-75/A2:2008-10, EN 60335-2-75/A12:2010-01 | | |

Household and similar electrical appliances - commercial electric appliances for keeping food and crockery warm

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-49:2003-03, EN 60335-2-49/A1:2008-09, EN 60335-2-49/A11:2012-04, EN 60335-2-49/A2:2019 | | |

Household and similar electrical appliances - commercial electric bains-marie

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-50:2003-03, EN 60335-2-50/A1:2008-04 | | |

Household and similar electrical appliances - commercial electric boiling pans

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|------------------------|-------------------------|----------------|
|---|------------------------|-------------------------|----------------|

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 3 di 12 |

Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V)

EN 60335-2-47:2003-03, EN 60335-2-47/A1:2008-07, EN 60335-2-47/A11:2012-04, EN 60335-2-47/A2:2019

Household and similar electrical appliances - commercial electric cooking ranges, ovens, hobs and hob elements

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-36:2002-12, EN 60335-2-36/A1:2004-09 EN 60335-2-36/A2:2008-04, EN 60335-2-36/A11:2012-04 | | |

Household and similar electrical appliances - commercial electric doughnut fryers and deep fat fryers

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-37:2002-12, EN 60335-2-37/A1:2008-04, EN 60335-2-37/A11:2012-04, EN 60335-2-37/A12:2016-03, EN 60335-2-37/AC:2007-08 | | |

Household and similar electrical appliances - commercial electric forced convection ovens, steam cookers and steam-convection ovens

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-42:2003-03, EN 60335-2-42/A1:2008-09, EN 60335-2-42/A11:2012-04 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 4 di 12 |

Household and similar electrical appliances - commercial electric griddles and griddle grills

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-38:2003-03, EN 60335-2-38/A1:2008-04 | | |

Household and similar electrical appliances - commercial electric grillers and toasters

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-48:2003-03, EN 60335-2-48/A1:2008-04, EN 60335-2-48/A11:2012-04, EN 60335-2-48/A2:2019 | | |

Household and similar electrical appliances - commercial electric hoods

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-99:2003-09, EN 60335-2-99/A1:2019 | | |

Household and similar electrical appliances - commercial electric kitchen machines

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|------------------------|-------------------------|----------------|
|---|------------------------|-------------------------|----------------|

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 5 di 12 |

Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V)

EN 60335-2-64:2000-02, EN 60335-2-64/A1:2002-06, EN 60335-2-64/EC:2002-06

Household and similar electrical appliances - commercial electric multi-purpose cooking pans

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-39:2003-03, EN 60335-2-39 /A1:2004-09, EN 60335-2-39/A2:2008-09 | | |

Household and similar electrical appliances - commercial electric rinsing sinks

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-62:2003-03, EN 60335-2-62/A1:2008-04, EN 60335-2-62/AC:2007-08 | | |

Household and similar electrical appliances - commercial microwave ovens

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-90:2006-05, EN 60335-2-90/A1:2010-09 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 6 di 12 |

Household and similar electrical appliances - deep fat fryers, frying pans and similar appliances

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-13:2010-02, EN 60335-2-13/A1:2012-08, EN 60335-2-13/A1:2019 | | |

Household and similar electrical appliances - electric irons

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-3:2016-01, EN 60335-2-3/A1: 2020 | | |

Household and similar electrical appliances - fabric steamers

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-85:2003-07, EN 60335-2-85/A1:2008-07, EN 60335-2-85/A11:2018 | | |

Household and similar electrical appliances - fans

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-80:2003-03, EN 60335-2-80/A1:2004-05, EN 60335-2-80/A2:2009-03 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 7 di 12 |

Household and similar electrical appliances - floor treatment machines and wet scrubbing machines

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-10:2003-08 , EN 60335-2-10/A1:2008-06 | | |

Household and similar electrical appliances - floor treatment machines with or without traction drive, for commercial use

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|------------------------|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-72:2012-08 | | |

Household and similar electrical appliances - gas, oil and solid-fuel burning appliances having electrical connections

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|------------------------|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-102:2016-01 | | |

Household and similar electrical appliances - grills, toasters and similar portable cooking appliances

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-9:2003-08, EN 60335-2-9/A1:2004-05, EN 60335-2-9/A2:2006-06, EN 60335-2-9/A12:2007-11, EN 60335-2-9/A13:2010-11, EN 60335-2-9/A13EC:2011-07, EN 60335-2-9/A13/AC:2012-06 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 8 di 12 |

Household and similar electrical appliances - heating liquids

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-15:2016-01, EN 60335-2-15/A11:2018-09 | | |

Household and similar electrical appliances - humidifiers

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-98:2003-07, EN 60335-2-98/A1:2005-02, EN 60335-2-98/A2:2008-10, EN 60335-2-98/A11:2019 | | |

Household and similar electrical appliances - ironers

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-44:2002-12, EN 60335-2-44/A1:2008-06, EN 60335-2-44/A2:2012-03 | | |

Household and similar electrical appliances - kitchen machines

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-14:2006-09, EN 60335-2-14/A1:2008-10, EN 60335-2-14/A11:2012-03, EN 60335-2-14/A12:2016-01, EN 60335-2-14/A11/EC:2016-01 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 9 di 12 |

Household and similar electrical appliances - microwave ovens, including combination microwave ovens

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-25:2012-03, EN 60335-2-25/A1:2015-10, EN 60335-2-25/A2:2016-02 | | |

Household and similar electrical appliances - multifunctional shower cabinets

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-105:2005-02, EN 60335-2-105/A1:2008-05, EN 60335-2-105/A11:2010-01, EN 60335-2-105/A2:2020 | | |

Household and similar electrical appliances - oral hygiene appliances

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-52:2003-06, EN 60335-2-52/A1:2008-07, EN 60335-2-52/A11:2010-05, EN 60335-2-52/AC:2012-06, EN 60335-2-52/A12:2019 | | |

Household and similar electrical appliances - outdoor barbecues

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-78:2003-07, EN 60335-2-78/A1:2008-07, EN 60335-2-78/A11:2020 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 10 di 12 |

Household and similar electrical appliances - portable heating tools and similar appliances

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-45:2002-12, EN 60335-2-45/A1:2008-06, EN 60335-2-45/A2:2012-03 | | |

Household and similar electrical appliances - room heaters

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|--|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating (except Cab heaters), 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-30:2009-12, EN 60335-2-30/Corr:2010, EN 60335-2-30/A11:2012-0, EN 60335-2-30/Corr AC:2014, EN 60335-2-30/A1:2020, EN 60335-2-30/A12:2020 | | |

Household and similar electrical appliances - sewing machines

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-28:2003-08, EN 60335-2-28/A1:2008-06, EN 60335-2-28/A11:2018-09 | | |

Household and similar electrical appliances - shavers, hair clippers and similar appliances

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-8:2015-11, EN 60335-2-8/A1:2016-02 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 11 di 12 |

Household and similar electrical appliances - skin or hair care

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-23: 2003-06, EN 60335-2-23/A1:2008-05, EN 60335-2-23/A11:2010-05, EN 60335-2-23/A11/AC:2012-06, EN 60335-2-23/A2:2015-01 | | |

Household and similar electrical appliances - stationary cooking ranges, hobs, ovens and similar appliances

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|---|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-6:2015-04, EN 60335-2-6/A1:2020-04, EN 60335-2-6/A11:2020-04 | | |

Household and similar electrical appliances - vaporizers

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-101:2002-12, EN 60335-2-101/A1:2008-07, EN 60335-2-101/A2:2014-11 | | |

Household and similar electrical appliances - warming plates and similar appliances

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V) | EN 60335-2-12:2003-06, EN 60335-2-12/A1:2008-0, EN 60335-2-12/A11:201, EN 60335-2-12/A2:2019 | | |

| | |
|--|--|
| Emilab Srl con socio unico Via Jacopo Linussio 1 33020 Amaro UD | UNI CEI EN ISO/IEC 17025:2018 |
| | Revisione: 3 Data: 19/10/2021 |
| | Sede B pag. 12 di 12 |

Household and similar electrical appliances - whirlpool baths and whirlpool spas

| <i>Denominazione della prova / Campi di prova</i> | <i>Metodo di prova</i> | <i>Tecnica di prova</i> | <i>O&I</i> |
|---|--|-------------------------|----------------|
| Safety 2: 7 Marking and instructions, 8 Protection against access to live parts, 10 Power input and current, 11 - Heating, 13 - Leakage current and electric strength at operating temperature, 14 - Transient overvoltage, 15 - Moisture resistance (esclusa prova IP), 16 Leakage current and electric strength, 17 - Overload protection of transformers and associated circuits, 18- Endurance, 19 - Abnormal operation, 20 - Stability and mechanical hazards, 21 - Mechanical strength, 22 - Construction, 23 - Internal wiring, 24 - Components, 25 - Supply connection and external flexible cords, 26 - Terminals for external conductors, 27 - Provision for earthing, 28 - Screws and connections, 29 - Clearances, creepage distances and solid insulation, 30 - Resistance to heat and fire. (Single-phase devices up to 240V, other devices up to 415V) | EN 60335-2-60:2003-07, EN 60335-2-60/A1:2005-04, EN 60335-2-60/A2:2008-10, EN 60335-2-60/A12:2010-01, EN 60335-2-60 /A11:2010-01 | | |

Legenda

L'eventuale simbolo (1) in corrispondenza della matrice indica:matrice non prevista dal metodo ma assimilabile/matrix not provided for by the method but acceptable

Il QRcode consente di accedere direttamente al sito www.accredia.it per verificare la validità dell'elenco prove e del certificato di accreditamento rilasciato al laboratorio.

L'eventuale simbolo "X" riportato nella colonna "O&I" indica che il laboratorio è accreditato anche per fornire opinioni e interpretazioni basate sui risultati delle specifiche prove contrassegnate.

L'eventuale simbolo (*) indica che è attiva una sospensione dell'accREDITAMENTO per la specifica attività riportata a fianco

