


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <b>1204</b> <b>Accredited to ISO/IEC 17025:2005</b>	<b>3C Test Ltd</b>	
	<b>Issue No: 049    Issue date: 17 November 2017</b>	
	<b>Silverstone Technology Park Silverstone Circuit Silverstone Northamptonshire NN12 8GX</b>	<b>Contact: Mr J R M Gordon-Colebrooke Tel: +44 (0)1327 857500 Fax: +44 (0)1327 857747 E-Mail: sales@3ctest.co.uk Website: www.3ctest.co.uk</b>
<b>Testing performed at the above address only</b>		

### Flexible Scope

The Flexible Scope applies to the laboratory's accreditation to ISO/IEC17025:2005 for testing activities in accordance with the standards listed in sections 1, 2 and 3.

The scope may also include tests on the same or similar product types against standards, or customer-specified methods that are not specifically listed in this Schedule, providing that:

- (1) The method or standard does not introduce new principles of measurement.
- (2) The method or standard does not require measurements to be made outside the parametric boundaries defined in this Schedule.

Information about flexible scopes of accreditation is available in UKAS document LAB 39.



1204

Accredited to  
ISO/IEC 17025:2005

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No:** 049 **Issue date** 17 November 2017

Testing performed at main address only

#### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
Aerospace Equipment Compressors Computers and peripherals Construction Plant and Equipment Domestic Appliances: Electrical Electrical/electronic Components Electrical/electronic Connectors Electrical/electronic Products Electro-Mechanical Devices Electronic Products, Digital Enclosures for Electrical Equipment Fans Flowmeters Gas Appliances Generators: Electrical Generators: Power Generators: Welding IT Equipment Instruments: Indicating/Recording Lamps: Electrical Lawnmowers Lifts: Electrical Marine Equipment Measuring Equipment Military Equipment Motor Vehicle Accessories and Components Motor Vehicles Motors: Electrical Printed Circuit Boards Radio and TV Equipment Safety Appliances and Equipment Switchboards: Electrical Telecommunication Equipment Tools: Hand (Electrical) Video Equipment	<b>1 CIVIL EMC TESTS</b>  1.1 Conducted Emissions 9 kHz to 300 MHz AC mains: Single phase up to 32A Voltage up to 240 V Three phase up to 32A  Voltage up to 415 V Continuous and Discontinuous DC voltage, up to 60V/100A	CISPR 16-2-1:2005 (Ed 1.1) BS 6527:1989 EN 55011:1991 EN 55011:1998+A1:1999+A2:2002 EN 55011:2007+A2:2007 EN 55011:2009+A1:2010 EN 55011: 2016 CISPR 11:2009+A1:2010 EN 55013:1990 excluding TV and VCR's EN 55014-1:1993+A1:1997 EN 55014-1:1997 EN 55014-1:2006 EN 55014-1:2006+A1:2009 EN 55014-1:2006+A2:2011 EN 55022:1988 EN 55022:1995+A1:1995+A2:1997 EN 55022:1998+A1:2000+A2:2003 CISPR 22:1997+A1:2000+A2:2002 EN 55022:2006+A1:2007 CISPR 22:2005 EN 55022:2010 ANSI C63.4:1992 ANSI C63.4:2003 ANSI C63.4:2009
	1.2 Radiated Emissions: 150 kHz to 18 GHz AC mains: as in 1.1	ANSI C63.4:2009 FCC CFR 47 Part 15B FCC CFR 47 Part 18 FCC/OST MP-5:1986 ICES 003:2004 Germanischer Lloyd GL 2001, VI, Part 7, Chapter 3, Section 3 Part B21 CISPR 16-2-3:2006 BS 6527:1989 EN 55011:1991 EN 55011:1998+A1:1999+A2:2002 EN 55011:2007+A2:2007 EN 55011:2009+A1 2010 EN 55011: 2016 CISPR 11:2009+A1 2010 EN 55022:1988



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Page 2	<b>1 CIVIL EMC TESTS (cont'd)</b>  1.2 Radiated Emissions: 150 kHz to 18 GHz AC mains: as in 1.1 (cont'd)	EN 55022:1995+A1:1995+A2:1997 AS/NZS 3548:1995 EN 55022:1998+A1:2000+A2:2003 CISPR 22:1997+A1:2000+A2:2002 EN 55022:2006+A1:2007 CISPR 22:2005 EN 55022:2010 CISPR 22:2009 ANSI C63.4:1992 ANSI C63.4:2003 ANSI C63.4:2009 FCC/OST MP-5:1986 FCC CFR 47 Part 15B Including boresight measurement FCC CFR 47 Part 18 ICES 003:2004 Germanischer Lloyd GL 2001, VI, Part 7, Chapter 3, Section 3, Part B22
	1.3 Power Absorbing Emissions Measurements (Power Clamp) 30 MHz to 300 MHz AC mains: as in 1.1	CISPR 16-2-2:2005 EN 55013:1990 excluding TV and VCR's EN 55014-1:1993+A1:1997 EN 55014-1:1997 EN 55014-1:2006 EN 55014-1:2006+A1:2009 EN 55014-1:2006+A2:2011
	1.4 Harmonic Emissions Up to 16 A	BS EN 61000-3-2:1995+A1:1998 +A2:1998+A3:1999 EN 61000-3-2:2000+A1:2001 +A2:2005 IEC 61000-3-:2000+A1:2001 +A2:2004 EN 61000-3-2:2006 EN 61000-3-2:2006+A2:2009 EN 61000-3-2:2014



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Page 2	<b>1 CIVIL EMC TESTS (cont'd)</b>	
	1.5 Flicker Measurement Up to 16 A	EN 61000-3-3:1995+A1:2001 +A2:2006 IEC 61000-3-3:1994+A1:2001 +A2:2005 EN 61000-3-3:2008 EN 61000-3-3:2013
	1.6 Fast Transient/Burst Immunity 0.5 to 4.0 kV 5/50 nsec, 5 kHz repetition AC mains: as in 1.1	IEC 801-4:1988 EN 61000-4-4:1995+A1:2001 +A2:2002 IEC 61000-4-4:1995+A1:2000 +A2:2002 EN 61000-4-4:2004 EN 61000-4-4:2004+A1:2010 EN 61000-4-4:2012
	1.7 Surge Immunity Waveforms 1.2/50 (8/20) $\mu$ s AC mains: as in 1.1	EN 61000-4-5:1995+A1:2001 IEC 61000-4-5:1995+A1:2000 EN 61000-4-5:2006 EN 61000-4-5:2014
	1.8 AC Power Ports Voltage Dips, Interruptions and Fluctuations AC mains: as in 1.1	EN 61000-4-11:1994+A1:2001 IEC 61000-4-11:1994+A1:2001 EN 61000-4-11:2004 IEC 61000-4-11:2004
	1.9 Radiated Immunity 27 to 2700 MHz at 20 V/m AC mains: as in 1.1	IEC 801-3:1984 EN 61000-4-3:1996 IEC 61000-4-3:1995 EN 61000-4-3:2002+A1:2002 IEC 61000-4-3:2002+A1:2002 EN 61000-4-3:2006 EN 61000-4-3 2006+A1:2008 +A2:2010
1.10 Power Frequency Magnetic Fields (Immunity) Frequency: 50 Hz Field strength: 100 A/m AC mains: as in 1.1	EN 61000-4-8:1994 IEC 61000-4-8:1993 EN 61000-4-8:2010 IEC 61000-4-8:2010	



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Page 2	<b>1 CIVIL EMC TESTS (cont'd)</b>	
	1.11 Pulse Magnetic Immunity Field strength: 1000 A/m AC mains: as in 1.1	EN 61000-4-9:1994 IEC 61000-4-9:1993
	1.12 Conducted Immunity 150 kHz to 230 MHz RF voltage up to 10 Vrms AC Mains: as in 1.1	EN 61000-4-6:1996+A1:2001 IEC 61000-4-6:1996+A1:2000 EN 61000-4-6:2007 EN 61000-4-6:2009 EN 61000-4-6:2014
	1.13 Electrostatic Discharge Immunity Positive and Negative Polarity (ESD) Up to 20 kV <ul style="list-style-type: none"> <li>• Direct and Indirect</li> <li>• Air and Contact Discharge</li> </ul>	IEC 801-2:1984 IEC 801-2:1991 EN 61000-4-2:1995+A1:1998 +A2:2001 IEC 61000-4-2:1995+A1:1998 +A2:2000 EN 61000-4-2:2009
	1.14 Vehicle Transient Testing 12 and 24 v Emissions and Immunity	ISO 7637-1:1990, except Pulse 5 ISO 7637-2:1990, except Pulses 1, 2, 5 ISO 7637-1:2002 ISO 7637-2:2004 ISO 7637-3:1995 ISO 7637-3:2007 ISO 7637-2:2011
1.15 Generic Standards  These Generic and Product specific tests are included in this Schedule, but limited to those referred basic standards that are explicitly listed in Sections 1.1 to 1.14.	EN 61000-6-1:2001 EN 61000-6-1:2007 EN 61000-6-2:2001 EN 61000-6-2:2005 EN 61000-6-3:2001+A11:2004 EN 61000-6-3:2007 EN 61000-6-3:2007+A1:2011 EN 61000-6-4:2001 EN 61000-6-4:2007 EN 61000-6-4:2007+A1:2011 EN 50081-1:1992 EN 50081-2:1994 EN 50082-1:1992	



1204

Accredited to  
ISO/IEC 17025:2005

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No:** 049 **Issue date** 17 November 2017

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Page 2	<p><b>1 CIVIL EMC TESTS (cont'd)</b></p> <p>1.15 Generic Standards (cont'd)</p> <p>Note: International Standards EN, ENV and IEC, listed in this Schedule, that have been adopted nationally as BS EN DD ENV and BS IEC and are technically identical, can be considered as being included in this Schedule.</p>	<p>EN 50082-1:1997            EN 50082-2:1994            EN 50121-4:2006            EN 50121-3-2:2006            EN 50130-4:1995              +A1:1998+A2:2003            EN 50130-4:2011            EN 50270:2006            EN 50270:2015            EN 50293:2000            EN 60601-1-2:1993            EN 60601-1-2:2001            EN 60601-1-2:2007            EN 60601-1-2:2015            EN 55014-2:1997+A1:2001            EN 55014-2:1997+A2:2008            EN 55014-2:1997              +A1:1998+A2:2001+A3:2007            EN 61326:1997              +A1:1998+A2:2001+A3:2003            EN 61326-1:2006            EN 61326: 2013            EN 55024:1998+A1:2001+A2:2003            CISPR 24:1997+A1:2001+A2:2002            EN 55024:2010            EN 55014-2:1997+A2:2008            EN 60945:2002, section 9 &amp; 10            EN 61800-3:2004+A1:2012              excluding Clause 6.2.2, 6.2.3.2,              6.2.3.3,6.2.4.2, 6.2.4.3 &amp; 6.2.5              Note: Up to 16 Amps for              EN 61000-3-2 and EN 61000-3-3              and up to 32 Amps per phase              other tests (include any              excpetions or limitations)            EN 50498:2010            ECE Regulation 10.04              Excluding 3 Phase Charge point              testing for harmonics and Flicker            ECE Regulation 10.05              Excluding 3 phase charge point              for harmonics and flicker            EN 301 489-1: V1.9.2 : 2011            EN 301 489-3: V1.6.1 : 2013</p>



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Page 2	<b>2 MILITARY/AEROSPACE</b>  2.1 Conducted Emissions: Power, Control and Signal Leads: DC to 400 MHz	MIL STD 461E, CE101 and CE102 MIL STD 461F, CE101 and CE102 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE01 & DCE02 DEF STAN 59-411:Part 3 Issue 1:2007 DCE01 & DCE02 DEF STAN 59-411:Part 3 Issue 1:2007 + A1:2008 DCE01 & DCE02 RTCA/DO160C Section 21 RTCA/DO160E, Section 21
	2.2 Radiated Emissions: Electric Field: 10 kHz to 18 GHz	MIL STD 461D and E, RE102 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRE01 DEF STAN 59-411:Part 3 Issue 1:2007 DRE01 DEF STAN 59-411:Part 3 Issue 1:2007 + A1:2008 DRE01 DEF STAN 59-411 Part 3 Issue 2:2014 DRE01.B DEF STAN 59-411: Part 3 Issue 1: 2007 DRE03 DEF STAN 59-411: Part 3 Issue 1: 2007 + A1: 2008 DRE03 DEF STAN 59-411: Part 3 Issue 2: 2014 DRE03 RTCA/DO160C, Section 21 RTCA/DO160E, Section 21
	2.3 Radiated Emissions: Magnetic Field: 20 Hz to 100 kHz	MIL STD 461E, RE101 MIL STD 461F, RE101 DEF STAN 59-411 Part 3 DRE02 DEF STAN 59-411:Part 3 Issue:2007 + A1:2008 DRE02



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No:** 049 **Issue date** 17 November 2017

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Page 2	<b>2 MILITARY/AEROSPACE</b> (cont'd)	
	2.4 Exported Transients Power Lines	DEF STAN 59-411 Part 3 Issue 1:2007 DCE03 DEF STAN 59-411:Part 3 Issue:2007 + A1:2008 DCE03
	2.5 Radiated Susceptibility: Electric Field: 14 kHz to 18 GHz Maximum Field Strength: 50 V/m 100kHz - 18 GHz at Maximum Field Strength: 100 V/m Substitution and Closed Loop Methods	MIL STD 461D and E, RS103 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS02 DEF STAN 59-411:Part 3 Issue 1:2007 DRS 02 DEF STAN 59-411:Part 3 Issue:2007 + A1:2008 DRS02 DEF STAN 59-411 Part 3 Issue 2 March 2014 DRS02.B RTCA/DO160C Section 20 RTCA/DO160E Section 20
	2.6 Radiated Susceptibility: Magnetic Field: 20 Hz to 150 kHz Maximum Field Strength: 180 dBpT	MIL STD 461D, E and F RS101 DEF STAN 59-411 Part 3 Issue 1:2007 DRS01 DEF STAN 59-411:Part 3 Issue:2007 + A1:2008 DRS01
2.7 Conducted Susceptibility: Transients 10 Hz to 150 kHz	RTCA/DO160E & F Section 19	





1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Page 2	<b>2 MILITARY/AEROSPACE</b> (cont'd)	
	2.8 Conducted Susceptibility: Power, Control and Signal Lines including Bulk Current Injection 10 kHz to 400 MHz	MIL STD 461D, E and F, CS114 & CS 115 MIL STD 461E and F, CS101 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS02 DEF STAN 59-411:Part 3 Issue 1:2007 DCS 02, DCS 03 DEF STAN 59-411:Part 3 Issue:2007 + A1:2008 DCS02 & DCS03 RTCA/DO160C Section 20 RTCA/DO160E & F Section 18
	2.9 Conducted Susceptibility: Primary Power Lines, 20 Hz - 50 kHz	DEF STAN 59-411:Part 3 Issue 1:2007 DCS 01 DEF STAN 59-411:Part 3 Issue:2007 + A1:2008 DCS01
	2.10 Magnetostatic Field Susceptibility 800 A/m	DEF STAN 59-411:Part 3 DRS03 DEF STAN 59-411:Part 3 Issue:2007 + A1:2008 DRS03
	2.11 Electrostatic Discharge	DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS10 DEF STAN 59-411:Part 3 Issue 1:2007 DCS10 DEF STAN 59-411:Part 3 Issue:2007 + A1:2008 DCS10 RTCA/DO160E & F Section 25
2.12 Compass Safe Distance	DO160 E Section 15	



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Pages 2 and 3	<p><b>3 AUTOMOTIVE</b></p> <p>3.1 Conducted Emissions 9 kHz to 300 MHz</p>	<p>CISPR 25:1995 CISPR 25:2002 CISPR 25:2008 Ford ES-XW7T-1A278-AC (CE420) GM3097:2004 (3.3.2) GM3097:2006 (3.3.2) GM3097:2012 (3.3.2) GM3097:2015 (3.3.2) ECE Regulation 10.03 ECE Regulation 10.04 ECE Regulation 10.05</p>
	<p>3.2 Radiated Emissions: 150 kHz to 18 GHz</p> <p>Measurement of Magnetic and Electric Field Strength from Electric Vehicles 9kHz to 30MHz</p>	<p>CISPR 25:1995 CISPR 25:2002 CISPR 25:2008 Ford ES-XW7T-1A278-AC - RE310 GM3097:2004 (3.3.1) GM3097:2006 (3.3.1) GM3097:2012 (3.3.1) GM3097:2015 (3.3.1) EC Directive 72/245/EC EC Directive 95/54/EC, Annex 7 and 8 EC Directive 2004/104/EC, Annex IV, V, VII and VIII EC Directive 2006/28/EC EC Directive 97/24/EC, chapter 8 Annex II and III Annex V and VI SAE J1551-5 Jan 2004 SAE J1551-5 May 2012 GM3097:2012 (3.3.3) GM3097:2015 (3.3.3 &amp; 3.3.4)</p>



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Pages 2 and 3	<b>3 AUTOMOTIVE</b> (cont'd)  3.2 Radiated Emissions: 150 kHz to 18 GHz	EC Directive 2009/64/EC ISO 13766:2006 EN ISO 14982:1998 EN 13309:2000 EN 13309:2010 ECE Regulation 10.02:1997, Annex 7 and 8 ECE Regulation 10.03 ECE Regulation 10.04 ECE Regulation 10.05
	3.3 Radiated Immunity Absorption Chamber 400 MHz - 10 GHz at 100 V/m 1.2 GHz - 3.4 GHz at 600V/m	SAE J1113-21:1998 ISO 11452-2:1995 ISO 11452-2:2004, substitution method ISO 11451-1:2005
	3.4 Radiated Immunity Absorption Chamber 400 MHz - 10 GHz at 100 V/m 1.2 GHz - 3.4 GHz at 600V/m (cont'd)  Stripline 10 kHz to 400 MHz at 200 V/m	EC Directive 72/245/EC EC Directive 2004/104/EC, Annex VI and IX EC Directive 2006/28/EC EC Directive 97/24/EC, chapter 8 Annex IV and Annex VII EC Directive 2009/64/EC ISO 13766:2006 EN ISO 14982:1998 EN13309:2000 EN13309:2010 Ford ES-XW7T-1A278-AC - RI114 GM3097:2006 (3.4.2) GM3097:2012 (3.4.2) GM3097:2015 (3.4.2) SAE J1113-25:1999 SAE J1113-23:1995 ISO 11452-5:2004, 150mm stripline substitution method EC Directive 72/245/EC EC Directive 95/54/EC, Annex 9 EC Directive 2004/104/EC, Annex IX EC Directive 2006/28/EC



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Pages 2 and 3	<p><b>3 AUTOMOTIVE</b> (cont'd)</p> <p>3.4 Radiated Immunity Absorption Chamber (cont.) Stripline 10 kHz to 400 MHz at 200 V/m (cont.)</p> <p>Portable Transmitters Magnetic Field 15Hz to 150kHz</p>	<p>EC Directive 97/24/EC, chapter 8 Annex VII ECE Regulation 10.02:1997 Annex 9 ECE Regulation 10.03 ECE Regulation 10.04 ECE Regulation 10.05 ISO 11452-9: 2012 ISO 11452-8: 2007 ISO 11452-8: 2015 GM3097:2012 (3.4.5) GM3097:2015 (3.4.4 &amp;3.4.5)</p>
	<p>3.5 Conducted Immunity 150 kHz to 230 MHz RF voltage up to 10 Vrms BCI 1 MHz to 400 MHz</p>	<p>ISO 11452-4:2001 ISO 11452-4:2005, subst. method ISO 11452-4:2011 (excluding TWC test method) EC Directive 72/245/EC EC Directive 95/54/EC, Annex 9 EC Directive 2004/104/EC, Annex IX EC Directive 2006/28/EC EC Directive 97/24/EC, chapter 8 Annex VII</p>
	<p>3.5 Conducted Immunity 150 kHz to 230 MHz</p> <p>RF voltage up to 10 Vrms BCI 1 MHz to 400 MHz</p>	<p>Ford ES-XW7T-1A278-AC - RI112 GM3097:2006 (3.4.1) GM3097:2012 (3.4.1) GM3097:2015 (3.4.1) ECE Regulation 10.02:1997, Annex 9 ECE Regulation 10.03 ECE Regulation 10.04 ECE Regulation 10.05</p>



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on Pages 2 and 3	<p><b>3 AUTOMOTIVE</b> (cont'd)</p> <p>3.6 Electrostatic Discharge Immunity Positive and Negative Polarity (ESD) Up to 20 kV</p> <ul style="list-style-type: none"> <li>• Direct and Indirect</li> <li>• Air and Contact Discharge</li> </ul>	<p>ISO 10605:2001 ISO 10605:2008 ISO 10605: 2008 + corrigendum March 2010 Ford ES-XW7T-1A278-AC - CI280 GM3097:2006 (3.6) GM3097:2012 (3.6) GM3097:2015 (3.6) ISO 13766:2006 EN ISO 14982:1998 EN13309:2000 EN13309:2010</p>
	<p>3.7 Vehicle Transient Testing 12 and 24 v Emissions and Immunity</p>	<p>ISO 7637-1:1990, except Pulse 5 ISO 7637-2:1990, except Pulses 1, 2, 5 ISO 7637-1:2002 ISO 7637-2:2004 ISO 7637-3:1995 ISO 7637-3: 2007 ISO 7637-2:2011 Ford ES-XW7T-1A278-AC - CI220 GM 3097:2006 (3.5.1, 3.5.2 and 3.5.3) GM3097:2012 (3.5) GM3097:2015 (3.5) ISO 16750-2: 2006 ISO 16750-2: 2010 ISO 16750-2: 2012</p>
	<p>3.8 Generic Automotive Standards</p>	<p>ISO 11452-1: 2015 ISO 7637-1: 2015</p>



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
UNINTENTIONAL RADIATORS	<p><b>SECTION 4</b> <b>EU US MRA Accredited Scope</b></p> <p>Conducted Emissions 9 kHz to 30 MHz</p> <p>Radiated Emissions 30 MHz to 18 GHz</p>	ANSI C63.4-2014 FCC Part 15, subpart B
INDUSTRIAL, SCIENTIFIC AND MEDICAL EQUIPMENT Consumer ISM Equipment	<p>Conducted Emissions 9 kHz to 30 MHz</p> <p>Radiated Emissions 30 MHz to 18 GHz</p>	FCC MP-5 (February 1986), FCC Part 18



1204  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No: 049 Issue date 17 November 2017**

**Testing performed at main address only**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
Laboratory Facilities:	<p>Semi-Anechoic Chamber AC1 7.6 m (l) x 6.1 m (w) x 3.75 m (h) overall; 6.47 m (l) x 4.94 m (w) x 3.0 m (h) effective</p> <p>Semi-Anechoic Chamber AC2 7.3 m (l) x 6.46 m (w) x 3.6 m (h) overall; 6.46 m (l) x 4.97 m (w) x 3.53 m (h) effective</p> <p>Semi-anechoic Chamber AC3 3 m CISPR 16 compliant 9.0 m (l) x 6.1 m (w) x 5.7 m (h) overall; 8.45 m (l) x 5.08 m (w) x 5.65 m (h) effective</p> <p>Semi-anechoic Chamber AC4 10 m CISPR 16 compliant 18.2 m (l) x 12.7 m (w) x 8.1 m (h) overall; 17.7 m (l) x 11.55 m (w) x 7.55 m (h) minimum effective</p> <p>Semi-anechoic Chamber AC5 7.3 m (l) x 7.1 m (w) x 4.15 m (h) overall; 7.0m (l) x 6.8m (w) x 3.85 m (h) minimum effective</p> <p>Screened Room SR1 4.85 m (l) x 3.34 m (w) x 3.0 m (h)</p> <p>Screened Room SR2 7.0m (l) x 4.5 m (w) x 3.0 m (h)</p> <p>Dedicated Automotive Transient Laboratory, Auto 1, Auto 3 &amp; Auto 4,Auto 5 &amp; Auto 6</p> <p>Dedicated High Voltage, ESD and Harmonics Laboratory, LAB2</p> <p>Environmentally controlled labs for transient, ESD and Electrical Testing, Auto 1, Auto 3 &amp; Auto 4,Auto 5 &amp; Auto 6, LAB 3</p>	



1204

Accredited to  
ISO/IEC 17025:2005

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**3C Test Ltd**

**Issue No:** 049 **Issue date** 17 November 2017

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
Laboratory Facilities (cont'd):	Max size of EUT: 4.0 m x 6.0 m x 4.0 m  Electrical Supplies: 240V 50/60/400 Hz 32A 415V 50/60/400 Hz 32A 110V 50/60/400 Hz 20A 0 - 40V DC	
END		